

(19)



JAPANESE PATENT OFFICE

PATENT ABSTRACTS OF JAPAN

(11) Publication number. **2000331927 A**

(43) Date of publication of application: **30.11.00**

(51) Int. Cl. **H01L 21/027**  
**G02B 13/24**  
**G03F 7/22**

(21) Application number: **2000068536**  
(22) Date of filing: **13.03.00**  
(30) Priority: **12.03.99 JP 11066538**

(71) Applicant: **CANON INC**  
(72) Inventor: **UNNO YASUYUKI**


(54) **PROJECTION OPTICAL SYSTEM AND  
PROJECTION ALIGNER USING THE SAME**

(57) Abstract:

**PROBLEM TO BE SOLVED:** To highly precisely image-form a pattern by correcting birefringence having an optical element included in a projection optical system,

**SOLUTION:** In this projection optical system, a projection optical system PL having plural lens elements 1, 2, and 3 is provided with a birefringence correcting member made of one-axial crystal having a main axis in an optical axial direction and/or materials having distortion distribution equivalent to the one-axial crystal. Thus, birefringence generated by the plural lens elements 1, 2, and 3 can be canceled by the birefringence correcting member.

COPYRIGHT: (C)2000,JPO



# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2000-331927  
 (43)Date of publication of application : 30.11.2000

(51)Int.Cl.

H01L 21/027  
 G02B 13/24  
 G03F 7/22

(21)Application number : 2000-068536

(71)Applicant : CANON INC

(22)Date of filing : 13.03.2000

(72)Inventor : UNNO YASUYUKI

(30)Priority


Priority number : 11066538 Priority date : 12.03.1999 Priority country : JP

## (54) PROJECTION OPTICAL SYSTEM AND PROJECTION ALIGNER USING THE SAME

(57)Abstract:

PROBLEM TO BE SOLVED: To highly precisely image-form a pattern by correcting birefringence having an optical element included in a projection optical system,

SOLUTION: In this projection optical system, a projection optical system PL having plural lens elements 1, 2, and 3 is provided with a birefringence correcting member made of one-axial crystal having a main axis in an optical axial direction and/or materials having distortion distribution equivalent to the one-axial crystal. Thus, birefringence generated by the plural lens elements 1, 2, and 3 can be canceled by the birefringence correcting member.



### LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

**BEST AVAILABLE COPY**

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

**BEST AVAILABLE COPY**